



M W Johnston & Son

11 Leverogue Road

LISBURN

BT27 5PP


13

EN 13043

**Aggregates for bituminous mixes and surface treatments for roads, airfields and other trafficked areas
Material Type - Greywacke**

G_A85/G_{TC}20

Particle Size	0/4 all-in
Particle Shape	FI NPD
Percentage of crushed particles/broken surfaces	C NPD
Particle Density	2.71 Mg/m ³
Water Absorption	0.7 %
Cleanliness (MB)	MB NPD
Resistance To Fragmentation (Los Angeles Abrasion)	LA ₁₅
Resistance To Polishing (PSV)	PSV ₅₇
Resistance To Abrasion (AAV)	AAV ₁₀
Resistance To Wear (Micro Deval)	M _{DE} 25
Durability against freeze thaw	WA24 2
Affinity to Bituminous Binders (Degree of bitumen coverage)	NPD
Durability against weathering	NPD
Durability against thermal shock	NPD
Release of other dangerous substances	NPD

Declaration of Conformity	M W Johnston & Son declare that this aggregate complies with the requirements of EN 13043
Authorised By	 (Kelvin Johnston, Partner)
Date of Issue	01.04.13

No hazardous substances have been identified in M W Johnston & Son's products other than fine dust - inhaling dust may lead to respiratory problems and respiratory protection should be worn.